


INSTRUCTIONS

FOR

WORKING THE APPARATUS.



LONDON and IPSWICH DAY MAIL DOWN.

NAME OF APPARATUS STATION. LANDMARKS AND WORKING NUMBER OF STANDARDS AND NET FRAMES.

Leave Liverpool St. 5.10 A.M.

Six pouches in carriage.

Romford. 5.30 A.M.

Despatch 3 pouches
Receive 2 pouches

Apparatus 250 yards north of station.

Notice Ilford and long bridge, pass
Chadwell Heath station, fix on at
side lines, through station, lower
after passing signal post, extend
at end of parapet wall. 2 houckes cut
at end of parapet wall. 2 houckes cut
that, and a despated pouch into

Brentwood.

5.38 A.M.

Despatch 1 pouch. Receive 1 pouch.

Ingatestone.

5.49 A.M.

Despatch 1 pouch. Receive 1 pouch. Heatwood Hew Site and yet in week of yet in week.

Station, Observe March on March on March of Fridge fix one & Rede lines, Horonoph Mation, lower and water of side and of Mort seding.

I 72005. 50.-6/92. W

NAME OF APPARATUS STATION. LANDMARKS AND WORKING NUMBER OF STANDARDS AND NET FRAMES.

Kelvedon. 6.14 A.M.

Despatch 1 pouch. Receive 1 pouch.

-Due at Ipswich 7.5 A.M.

Apparatus 650 yards south of station. After leaving Witham pass under bridge, fix on, lower and extend after passing gate-house.

1 standard, 1 net.

policies medianinge.

6.49 am Despatch 1 ponch

apparates 300 gards Kor of Dealson. after leaving Colcherte andleigh Station Bridges, fix on tateleyers has throng ten Station lower at white at lave ing a few yards from 1 Standard / Res

Sucal Spowich Spowskes in Carriage

LONDON and IPSWICH DAY MAIL UP.

NAME OF APPARATUS STATION. LANDMARKS AND WORKING NUMBER OF STANDARDS AND NET FRAMES.

Leave Ipswich

J pouches in carriage.

Ingatestone.

5.15 P.M.

Despatch 1 pouch. Receive 1 pouch. Apparatus 800 yards north of platform. After leaving Chelmsford run through two cuttings, fix on at farm house and church, pass under two bridges, lower and extend.

1 standard, 1 net.

Brentwood.

5.22 P.M.

Despatch 1 pouch. Receive 1 pouch. Apparatus 600 yards north of platform. Observe Shenfield station and cutting, fix on between first and accord bridges, leave on his

1 standard, 1 net.

Romford.

5.28 P.M.

Despatch 1 pouch.
Receive 2 pouches

Apparatus 500 yards north of platform. Observe Harold Wood station, fix on at factory, under two bridges, lower and extend

standard, 1 net.

Due at Liverpool St. 5.50 P.M.

Six pouches in carriage.

RULES TO BE OBSERVED BY THE SORTERS.

1. The bags must be properly packed in the pouch.

2. The net must be drawn up quickly after passing the standards.

3. See that the pouch is duly detached from the arm, and that the arm returns to its upright position.

4. Should a failure occur the arm must be drawn in by the check cord.

5. Should the spiral spring break, the pouch should be eased down into working position by the check cord.

6. If the spring is weak, or a strong wind blowing, tie a piece of string once round the cap.

7. The receiving net must not be raised until all the standards are passed at stations where more than one set are fitted. This does not apply to a station where there is a standard at both ends of the platform, as on no account must a net be in working position when passing through a station.

Note.—The ordinary working is here shown. The number of pouches despatched and received may vary occasionally.