



D. 1 pouch.

SOUTH WALES NIGHT and NORTH MAILS.

NUMBER OF NAMES OF APPARATUS STATIONS, TRAIN DUE POUCHES LANDMARKS, AND WORKING NUMBER TO PASS THE DELIVERED AND OF STANDARDS AND NET FRAMES. APPARATUS. RECEIVED. Newnham. S. WALES S. WALES Down Night Down Night Apparatus 220 yards east of Mail. Mail. station. After leaving D. 2 pouches. 1.5 AM. Gloucester, pass by two stations, fix on, observe platelayers' hut and wall, then extend the arms. 1 net. Lydney Junction. (Stop) 1.18 AM. To leave Or empty pouches. 13 on Juesdays) S. WALES S. WALES Llantrissant. Down Night Down Night Mail. Apparatus 140 yards east of Mail. D. 2 pouches. After leaving station. 2.47 AM. Cardiff observe three small stations, pass over four S. WALES S. WALES wooden bridges, fix on, North Mail North Mail pass over two iron girder Down. Down.

0 80713.

7.10 AM.

25.—3/94. Wt. 25057. E. & S.

1 net.

bridges, extend arms.

TRAIN DUE
TO PASS THE
APPARATUS.

Names of Apparatus Stations, Landmarks, and Working Number of Standards and Net Frames. Number of Pouches Delivered and Received.

S. Wales Down Night Mail. 3.32 AM.

Briton Ferry

Apparatus 450 yards east of station. Observe sheet of water fix out pass over small wooden bridge, lower and extend at platelayers' that and signal post.

1 standard, 1 net.

S. WALES Night Down Mail.

D. 1 pouch. R. 1 pouch.

S. Wales North Mail Down. 8.11 AM.

Llansamlet.

Apparatus 270 yards east of station. Observe Dynevor station, fix on, pass under three arches extend at decline of cutting.

1 net.

S. Wales.
North Mail
Down.
D. 1 pouch.
(Not on
Sundays.)

S. Wales
Down Night
Mail.
4.34 AM
S. Wales
North Mail
Down.
8.54 AM.

Burry Port.

Apparatus 450 yards west of station. Pass through station, and under bridge, lower and extend.

1 standard, 1 net.

S. Wales
Down Night
Mail.
D. 1 pouch.
R. 1 pouch.
S. Wales
North Mail
Down.
D. 1 pouch.
R. 1 pouch.

TRAIN DUE TO PASS THE APPARATUS.	Names of Apparatus Stations, Landmarks, and Working Number of Standards and Net Frames.	Number of Pouches Delivered and Received.
S. WALES Down Night Mail. 4.44 AM. S. WALES North Mail. 9.7 AM.	Kidwelly. Apparatus 600 yards west of station. Pass through station, and over river bridge, lower and extend.	S. Wales Down Night Mail. D. 1 pouch. R. 1 pouch. S. Wales North Mail. D. 1 pouch. R. 1 pouch. S. Wales Down Night Mail. D. 1 pouch. S. Wales North Mail. D. 1 pouch. S. Wales North Mail. D. 1 pouch. R. 1 pouch. R. 1 pouch. R. 1 pouch.
S. Wales Down Night Mail. 4.48 AM. S. Wales North Mail. 9.8 AM.	Ferryside. Apparatus 250 yards west of station. Pass through station, and by the end of platform, lower and extend. 1 net, 1 standard.	
S. WALES Down Night Mail. 5.56 AM.	Clarbeston Road. Apparatus 560 yards east of station. After leaving Clynderwen station, pass over two rivers, fix on at Clarbeston level crossing, with stone built cottage close to line, lower and extend at white board.	S. Wales Down Night Mail. D. 1 pouch. R. 1 pouch. (Not on Sunday.)

1 standard, 1 net.

TRAIN DUE TO PASS THE APPARATUS.	Names of Apparatus Stations, Landmarks, and Working Number of Standards and Net Frames.	Number of Pouches Delivered and Received.
S. Wales Up Night Mail. 6.45 pm.	Ferry Side. Apparatus 250 yards west of station. Observe three short cuttings, and sheet of water, then lower the net. 1 standard.	S. WALES Up Night Mail. R. 1 pouch.
S. WALES Up Night Mail. 6.5 PM.	Kidwelly. Apparatus 600 yards west of station. Observe white board, then lower the net and extend the arm. 1 standard, 1 net.	S. Wales Up Night Mail. D. 1 pouch. R. 1 pouch.
S. Wales Up Night Mail. 6.59 PM.	Burry Port. Apparatus 450 yards west of station. Pass under two bridges, then over railway bridge, lower the net and extend the arm. 1 standard, 1 net.	S. Wales Up Night Mail. D. 1 pouch R. 1 pouch

TRAIN DUE TO PASS THE APPARATUS.	Names of Apparatus Stations, Landmarks, and Working Number of Standards and Net Frames.	Number of Pouches Delivered and Received.
S. WALES Up Night Mail. 7.14 PM.	Loughor. Apparatus 360 yards east of station. Pass over river, through station and by platelayers' hut, lower the net. 1 standard.	S. WALES Up Night Mail. R. 1 pouch Not on Sund
S. Wales. Up Night Mail. 7.17 PM.	Gowerton. Apparatus 400 yards west of station. Observe cutting, pass over river, fix on lower and extend at white board. 1 standard, 1 net.	S. WALES Up Night Mail. D. 1 pouch. R. 1 pouch. Not on Senda
S. Wales Up Night Mail. 7.44 PM. S. Wales Up North Mail. 4.16 P.M.	Llansamlet. Apparatus 180 yards east of station. After leaving Landore Junction, observe viaduct, and tin works with furnaces, fix on, pass through station lower and extend. 1 standard, 1 net.	S. WALES Up Night Mail. D. 1 pouch. R. 1 pouch. Up North Mail. D. 1 pouch. R. 2 pouches.

TRAIN DUE TO PASS THE APPARATUS.	Names of Apparatus Stations, Landmarks, and Working Number of Standard and Net Frames.	Number of Pouches Delivered and Received.
S. Wales Up Night Mail. 7.59 PM.	Apparatus 450 yards east of station. Fix on at Briton Ferry sidings, pass through station, lower net at second signal post. After passing over tramway bridge extend the arm. 1 standard, 1 net.	S. WALES Up Night Mail. D. 1 pouch. R. 1 pouch.
S. Wales Up Night Mail. 8.45 PM.	Llantrissant. Apparatus 140 yards east of station. Observe Pencoed station, at Llantrissant sidings make ready, lower net at end of station platform. 1 standard.	S. WALES Up Night Mail. R. 2 pouches.
S. Wales Up Night Mail. 10.5 PM.	Lydney Junction. Apparatus 400 yards west of station. After leaving Chepstow notice Woolaston station pass under one bridge, make ready, lower net at white board. 1 standard.	S. Wales Up Night Mail. R. & pouches. 3 on Sunda

TRAIN DUE TO PASS THE APPARATUS.	Name of Apparatus Stations, Landmarks, and Working Number of Standards and Net Frames.	Number of Pouches Delivered and Received.
S. WALES Up Night Mail.3 10.16 PM.	Newnham. Apparatus 220 yards east of station. Observe tunnel, make ready, through station and by signal cabin lower net. 1 standard.	S. WALES Up Night Mail. R. 2 pouches

RULES TO BE OBSERVED BY THE SORTERS.

1. The bags must be properly packed in the pouch.

2. The net must be drawn up quickly after passing the standards.

3. See that the pouch is duly detached from the arm, and that the arm returns to its upright position.

4. Should a failure occur, the arm must be drawn in by

the check cord.

5. Should the traductor spring break, the pouch should be eased down into working position by the check cord.

6. If the springs are weak, or a strong wind is blowing,

tie a piece of string once round the lid.

7. The receiving net must not be raised until all the standards are passed at stations where more than one set are fitted. This does not apply to a station where there is a standard at both ends of the platform, as on no account must a net be in working position when passing through a station.

Note. The ordinary working is here shown. The number of pouches despatched and received may occasionally vary.